



Compact High Speed Network Colour LED Printer

With impressive, high-speed printing, built-in network capability and a large paper tray, Brother's space-saving HL-3040CN LED colour printer is good for business.

- High resolution printing for professional-quality documents.
- Fast and efficient: print up to 16 pages per minute in mono and colour.
- Add the HL-3040CN to your office network to efficiently share resources.
- Large 250-sheet tray – minimise the time you spend resupplying paper.
- Save money and the environment with ENERGY STAR energy efficiency.



You can cut costs and make office life easier with Brother HL-3040CN's innovative, simple to use solutions.



Built-in network capability.

Cost savings

Share resources. Share the HL-3040CN among several users over your existing network for more efficiency and an improved workflow.

Reduce paper and toner use. Reduce 2, 4, 9, 16 or 25 pages onto just one A4 sheet with N-up printing.

Manage print costs. Use the Colour Restriction Tool to bring down your printing costs by centrally managing users' access to colour printing.

Save time

Swift and easy. Printing on thick paper or envelopes is incredibly simple with the HL-3040CN's Straight Paper Path. All you have to do is open a small door at the printer's rear for your special media to exit after printing.

Simply convenient

Professional finish. It's incredibly easy to add a watermark, whether it's a predefined design or a logo of your choice, to your printouts for a professional look.

Get the bigger picture - in-house. For a bigger impact, you can enlarge 1 page to be printed across 4, 9, 16 or 25 A4 sheets with the Poster Printing function in the printer driver.

Be safe. Print your most confidential documents, safe in the knowledge that they will remain just that, with Brother's Secure Print feature. It's easy to use: when you're ready to print your document, you enter a private PIN code on your computer, then click the print button. The document will only print after you've physically entered your PIN code at the printer.



Create an instant impact
- with quick 16ppm colour A4 printing.



Print on thick paper or envelopes.

† 2,400 x 600dpi

HL-3040CN

HL-3040CN Compact High Speed Network Colour LED Printer

Brother's compact LED colour printer offers fast, high quality results and increased efficiency with its built-in network capability and large paper tray.

With its high resolution printing, the HL-3040CN delivers consistently professional colour documents and razor-sharp text output in-house. Get fast results and increase your productivity with print speeds of up to 16 pages per minute for mono and colour.

Make your workgroup more efficient by sharing resources and creating synergies: simply connect the HL-3040CN to your existing network for several people to use it simultaneously.

The HL-3040CN requires minimal user intervention with its reliable, compact build and large 250-sheet paper tray. The user-friendly LCD text display gives you easy access to the printer menu.

Cost-saving solutions include toner save mode and separate toners and drum, meaning you only have to replace what has been used. The HL-3040CN's energy efficiency is ENERGY STAR certified.



HL-3040CN Technical Specifications

| General | |
|----------------------------------|--|
| Technology | Electrophotographic LED printer (Single Pass) |
| Print Speed A4 | Up to 16ppm Colour & Mono |
| Warm Up Time | 27 seconds (from sleep mode) |
| First Print Out Time | 16 seconds (Colour), 15 seconds (Mono) |
| Resolution | Up to 2,400 x 600dpi† print resolution |
| Processor | 300MHz |
| Memory Capacity | 32MB |
| | Expandable up to 544MB, using industry standard 1 x SO-DIMM (144 PIN) slot |
| Interface | Hi-Speed USB 2.0 |
| Network | 10/100 Base-TX |
| Protocols | TCP/IP (IPv4 & IPv6) |
| IPv4 Supported Protocols | ARP, RARP, BOOTP, DHCP, APIPA(Auto IP) WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, APOP, POP before SMTP, SMTP-AUTH SNMPv1/v2c/v3, ICMP, LLTD responder, WebServicesPrint, SSL/TLS |
| IPv6 Supported Protocols | NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, APOP, POP before SMTP, SMTP-AUTH SNMPv1/v2c/v3, ICMPv6, LLTD responder, WebServicesPrint, SSL/TLS |
| Emulation | GDI [Host Based] |
| Display | 1 line LCD display with 16 digits 2 LEDs (data, error) |
| Paper Handling | |
| Paper Input | 250 Sheets Standard Paper Tray Single Sheet Manual Feed Slot |
| Paper Output | 100 Sheets (Face Down) 1 Sheet (Face up) Straight Paper Path |
| Media Specifications | |
| Media Types | Standard Paper Tray - Plain, Recycled paper, Thin paper Manual Feed Slot - Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond, Label, Envelope, Thin Envelope |
| Media Weights | Standard Paper Tray - 60 to 105g/m2 Manual Feed Slot - 60 to 163g/m2 |
| Media Sizes | Standard Paper Tray - A4, Letter, ISOB5, A5, ISOB6, A6, Executive, Legal, Folio Manual Feed Slot - Width 76.2mm to 220mm, Length 116mm to 406.4mm |
| Supplies | |
| Inbox Toners | 1,000 pages* C, M, Y, BK |
| Toner Black | 2,200 pages* TN-240BK |
| Toner Colour (C, M, Y) | 1,400 pages* TN-240C/M/Y |
| Drums (C, M, Y, BK) | 15,000 pages (one page per job) DR-240CL |
| Belt Unit | Up to 50,000 pages BU-200CL |
| Waste Toner Box | Up to 50,000 pages WT-200CL |
| |  |
| Software | |
| Printer Driver Support | Windows® 2000 Professional, XP Home Edition, XP Professional (32 & 64 bit editions), Windows Server® 2003 (32 & 64 bit editions), Windows Vista®, Windows Server® 2008 Macintosh® Printer Driver for Mac OS® X 10.3.9 or greater Linux printer driver for CUPS & LPD/LPRng printing system (x86, x64 environment) |
| Printer Driver Features | |
| N-up Printing | Save paper reducing 2, 4, 9, 16 or 25 A4 pages to 1 A4 page |
| Poster Printing | Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages for a bigger impact |
| Watermark Printing | Add predefined text or user-defined messages to your documents as a watermark |
| Booklet Printing | Print easy-to-read, professional documents in A5 booklet format using manual duplex |
| Secure Print | Protect your print jobs with a PIN number |
| Colour Control Tool | Edit the colour settings in the printer driver to get accurate colours every time |
| Colour Restriction Tool | Colour printing can be restricted for individual users by an administrator to control costs. |
| Header and Footer | Print the time & date and/or the user ID on the documents |
| Utilities | |
| Web Based Management | Web browser print server management |
| Driver Deployment Wizard | A quick and easy way to deploy printer drivers using a Windows® PC |
| BRAAdmin Light | Print Server Management for Windows® and Mac OS® X 10.3.9 or greater |
| BRAAdmin Professional | For LAN management of your printer fleet |
| Web BRAAdmin Professional | Server based management utility for your printer fleet / Windows® IIS 5.0/5.1/6.0/7.0 mode only |
| Dimensions / Weight | |
| With Carton | 555 (W) x 628 (D) x 460 (H) mm / 22kg |
| Without Carton | 409 (W) x 466 (D) x 250 (H) mm / 19.0kg |
| Others | |
| Power Consumption | 480W printing 70W ready 8W sleep |
| Noise Level | Sound Pressure - Less than 53dBA when printing in colour, less than 30dBA in standby Sound Power - Less than 6.29B when printing in colour, less than 3.64B in standby |
| Ecology | Power Save - Consume less energy when not in use Toner Save - Reduces toner usage |
| Recommended Monthly Print Volume | 300 to 1,500 pages |
| |  |

* Declared yield value in accordance with ISO/IEC 19798 † Vertical x Horizontal Resolution

Contact:

brother
at your side

www.brother.com.au

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.