

# HP LaserJet 9040 printer series

Experience reliable, high-volume printing  
at an entry level price



# Fast, high-volume printing performance

## Spend less time waiting and increase productivity

The HP LaserJet 9040 printer series prints up to 40 pages per minute (ppm) and the first page in under 8 seconds with Instant-on Technology<sup>1</sup>.

## Makes complex print jobs a breeze

The HP LaserJet 9040 printer series speeds through highly complex documents with:

- Advanced 533 MHz processor
- Up to 128 MB DDR SDRAM<sup>2</sup> (upgradeable to 512 MB)
- RIP-once technology

## Professional print quality

Print crisp, high-quality black-and-white documents with HP FastRes 1200 and HP Resolution Enhancement technology (REt).

## Worry-free printing

- Robust 300,000 pages per month duty cycle
- 30,000-standard page HP LaserJet print cartridge yield<sup>3</sup>

## Easy to use and manage

- The intuitive 10-key LCD control panel provides easy user interaction
- Private Job feature on the control panel for confidential document printing
- Proof and Hold feature allows review of one copy before printing a multiple-copy print job

## Effortless network management with added security

- HP Web Jetadmin remotely installs, configures and proactively manages your network peripherals. It also supports Secure Sockets Layer (SSL) and Simple Network Management Protocol (SNMP) for greater network security.
- HP Embedded Web Server performs remote diagnostics, sends email alerts and provides job tracking and accounting information.

## Renowned HP LaserJet quality and reliability

- HP is the undisputed leader in providing reliable printing solutions for over 20 years
- HP is the No. 1 monochrome laser printer<sup>4</sup>
- Awarded by PC Magazine's Service and Reliability Survey
  - An "A" rating for 12 years running<sup>5</sup>
  - An "A+" rating for 2 years running<sup>5</sup>
  - Clinched the top spot for 13 consecutive years<sup>6</sup>

<sup>1</sup> Exact speed depends on system configuration, software programs and document complexity.

<sup>2</sup> 128 MB DDR SDRAM standard on HP LaserJet 9040n and 9040dn printers only.

<sup>3</sup> Average cartridge yield. Declared yield value in accordance with ISO/IEC 19752.

<sup>4</sup> In Asia Pacific (excluding Japan). Source: IDC Asia/Pacific Quarterly Printer Tracker 3Q 2004.

<sup>5</sup> August 2003 PC Magazine Reader's Choice Award.

<sup>6</sup> November 2004 PC Magazine Annual Reader Satisfaction Survey.



Large volume printing



Full function control panel for walk-up useability



**OVERALL PRINTERS**  
Hewlett-Packard Company

Clinched the top spot for 13 consecutive years<sup>6</sup>

# HP LaserJet 9040 printer series

1. Automatic two-sided printing unit offers fast, efficient duplexing<sup>1</sup>

2. Control panel with 10-key number pad simultaneously displays up to four lines of text and animated graphics

3. 100-sheet multipurpose tray handles heavy custom media up to 58 lb or 216 g/m<sup>2</sup>

4. Adjustable 500-sheet input trays 2 and 3

5. Optional 2,000-sheet input tray 4 delivers high-volume printing

6. Optional 8-bin mailbox enables automatic document sorting for individuals and departments

7. HP Jetdirect Fast Ethernet embedded print server enables networking

8. 128 MB total memory and a powerful 533 MHz processor perform complex tasks quickly

9. Bidirectional IEEE-1284-B compliant parallel port



HP LaserJet 9040dn shown with optional 2,000-sheet input tray and optional 8-bin mailbox

## Versatile design

Add the following optional components to your HP LaserJet 9040 printer series to meet the needs of your business:

- 2,000-sheet input tray for up to 3,100-sheet capacity
- 8-bin mailbox, stacker, stapler/stacker, or multifunction finisher
- Add memory up to 512 MB
- Use the two available EIO slots for an optional HP Jetdirect wireless print server, 20 GB HP high-performance EIO hard disk or HP and third party software solutions for business functions including form, check and barcode printing

## Series at a glance

### HP LaserJet 9040 Printer

- Two 500-sheet input trays for 1,000-sheet capacity
- 64 MB memory
- Two empty EIO slots

### HP LaserJet 9040n Printer

Base model plus:

- 100-sheet multipurpose tray for 1,100-sheet capacity
- HP Jetdirect Fast Ethernet embedded print server
- 128 MB total memory


### HP LaserJet 9040dn Printer

Base model plus:

- Automatic two-sided printing unit
- 100-sheet multipurpose tray for 1,100-sheet capacity
- HP Jetdirect Fast Ethernet embedded print server
- 128 MB total memory

<sup>1</sup> Standard on HP LaserJet 9040dn Printer.

# Robust, comprehensive features for departmental demands



Now you can look forward to entry-level, high-volume and wide-format (A3) black & white printing. The new HP LaserJet 9040 printer series delivers the perfect blend of high performance and cost-effectiveness with a host of productivity features, versatile paper handling options and advanced networking capability.

## Versatile paper handling solution

The HP LaserJet 9040 printer series offers maximum flexibility with:

- Optional 2,000-sheet high-volume input tray (total input capacity of 3,100 sheets).
- Automatic double-sided printing module<sup>1</sup> that doubles input capacity.

## Flexible advanced finishing options

- **8-bin mailbox** allows individuals, workgroups or departments to be assigned to each bin, easing job retrieval. A sorter/collator, stacker and job separator come standard with the mailbox bin for fast, simple document customisations.
- **Multifunction finisher** provides 1,000-sheet stacking capacity, 50-sheet stapling per job and folding and saddle stitching for 10-sheet booklets.
- **3,000-sheet stapler/stapler** provides 3,000-sheet stacking capability along with multi-position stapling for up to 50 sheets per job.
- **3,000-sheet stacker** has capacity for 3,000 sheets of paper, with job offset.

## Handles a wide variety of media sizes and types

The HP LaserJet 9040 printer series supports a refreshingly broad spectrum of media, from JIS B5, to Letter and A4, to Tabloid and A3 sizes.

## Increase efficiency with reliable sharing

In addition to the standard IEEE 1284-B parallel port and the HP Jetdirect Fast Ethernet embedded print server<sup>2</sup>, the HP LaserJet 9040 printer series capabilities can also be expanded via 2 EIO slots that support:

- Optional HP Jetdirect wireless print server
- 20 GB HP high-performance EIO hard disk
- HP and 3rd party software for form, check and barcode printing

<sup>1</sup> Standard on HP LaserJet 9040dn Printer.

<sup>2</sup> Standard on HP LaserJet 9040n and 9040dn printers.



8-bin mailbox



Multifunction finisher




Stapler/stapler



Stacker



A4



A3

Automatic double-sided printing on a variety of media and sizes<sup>1</sup>

# HP LaserJet 9040 printer series

## Technical specifications

### HP LaserJet 9040 (Q7697A)

### HP LaserJet 9040n (Q7698A)

### HP LaserJet 9040dn (Q7699A)

<b>Print speed<sup>1</sup></b>	Up to 40 ppm, letter and A4		
<b>First page out<sup>1</sup></b>	Less than 8 seconds with Instant-on Technology		
<b>Resolution</b>	600 x 600 dpi with HP FastRes 1200 and Resolution Enhancement technology (REt)		
<b>Processor</b>	533 MHz		
<b>Memory, standard</b>	64 MB DDR RAM (two available DIMM slots)	128 MB DDR RAM (two available DIMM slots)	
<b>Memory, maximum</b>	512 MB DDR RAM		
<b>Duty cycle</b>	Up to 300,000 pages per month		
<b>Media</b>			
Media handling	500-sheet trays 2 and 3	100-sheet multipurpose tray, 500-sheet trays 2 and 3	
Output capacity	600-sheet output bin (500 sheets face down, 100 sheets face up)		
Two-sided printing	Optional automatic two-sided print unit		Automatic two-sided printing unit
Sizes	Multipurpose tray: 98 x 191 to 312 x 470 mm (3.9 x 7.5 to 12.3 x 18.5 inches); letter, legal, tabloid, executive, JPostD (A3, A4, A5, JIS B4, JIS B5) Automatic two-sided printing unit, trays 2, 3, optional tray 4 and 8-bin mailbox: 148 x 210 to 297 x 432 mm (5.8 x 8.3 to 11.7 x 17 inches); Letter, letter-rotated, legal, tabloid, executive, envelopes (No. 10, Monarch); ISO A3, ISO A4, ISO A4-rotated, ISO A5, JIS B4, JIS B5, JIS B6, JIS executive		
Weights	Multipurpose tray: 64 to 216 g/m <sup>2</sup> (17 to 58 lb); Automatic two-sided printing unit, trays 2, 3 and optional tray 4: 64 to 200 g/m <sup>2</sup> (17 to 53 lb)		
Types	Types Paper (plain, preprinted, letterhead, prepunched, bond, colour, recycled, rough), transparencies, labels, cardstock		
<b>Connectivity</b>			
Interfaces	Bidirectional IEEE-1284-B compliant parallel port, two available EIO slots	Bidirectional IEEE-1284-B compliant parallel port, two available EIO slots, HP Jetdirect Fast Ethernet embedded print server	
Languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, direct PDF printing (v 1.3) with at least 128 MB memory enabled, XHTML-Print v 0.95, HP PJI (Printer Job Language), PML (Printer Management Language)		
Fonts	80 internal TrueType fonts scalable in HP PCL and HP postscript level 3 emulation; additional font solutions available via flash memory slot		
Client operating systems	Microsoft® Windows® 98, Me, NT®, 2000, XP, Mac OS 9, OS 10		
Network operating systems <sup>2</sup>	Via HP Jetdirect print servers: Microsoft® Windows® 98, Me, NT 4.0, 2000, XP, XP 64-Bit, Server 2003; Novell™ NetWare 3.2, 4.2, 5.x, 6.x; Mac OS 8.6 and later; Red Hat Linux® 6.x and later; SuSE Linux 6.x and later; HP-UX 10.20, 11.x; Solaris™ 2.5x, 2.6, 7, 8, 9, 10 (SPARC systems only); IBM AIX 3.2.5 and later; MPE-iX, Citrix MetaFrame; Windows Terminal Services		
Network protocols supported <sup>2</sup>	Via HP Jetdirect print servers: TCP/IP (IP Direct mode; may require software from the NOS vendor or third party vendor: LPD, FTP, IPP), IPX/SPX, DLC/LLC, AppleTalk, Auto-IP, Apple Rendezvous compatible, NDS, Bindery, NCP, Telnet, SLP, IGMP, BOOTP/DHCP, WINS, SNMP (v 1, 2c, 3), HTTP		
<b>Dimensions (w x d x h)</b>	990.6 x 632.5 x 600 mm (39 x 24.9 x 23.6 inches)	1397 x 632.5 x 600 mm (55 x 24.9 x 23.6 inches)	
<b>Weight</b>	63.5 kg (140 lb)	69.4 kg (153 lb)	76.2 kg (168 lb)

<sup>1</sup> Exact speed depends on system configuration, software programs and document complexity.

<sup>2</sup> Not all protocol and operating system combinations are supported. For more information, go to: [www.hp.com/support/net\\_printing](http://www.hp.com/support/net_printing).



## Original HP LaserJet print cartridges. The science behind brilliant printing.

### High tech, high performance

70% of HP LaserJet printing technology is in the cartridge. Smaller, more uniformly shaped HP toner particles deliver richer, sharper blacks and more even tones, so your documents always look their best.

### Unmatched reliability

Painstakingly engineered and tested to work perfectly with HP LaserJet printers, you get reliable, consistent print results and peace of mind with HP original LaserJet print cartridges.

### Smart management

Access real-time toner usage data stored in the cartridge with HP Smart Printing Technology and make better purchase decisions.

# HP LaserJet 9040 printer series

## Technical specifications

### Environmental ranges

Operating temperature: 50 to 91° F (10 to 32.5° C)

Operating humidity: 10 to 80% relative humidity

Altitude: 0 to 10,000 ft (0 to 3100 m)

**Acoustics<sup>1</sup>**  
Power: active: 7 B(A); standby: 5.6 B(A)

**Power requirements**  
Input voltage: 110 to 127 V (±10%), 50/60 Hz (±2 Hz)  
220 to 240 V (±10%), 50/60 Hz (±2 Hz)

### Power consumption<sup>1</sup>

(Energy-saver sleep mode, Energy Star<sup>®</sup> compliant)  
Active: 900 watts  
Ready: 200 watts  
Sleep: 21 watts  
Off: 0.5 watts

### Power certifications

EMC: CISPR 22: 1997/EN 55022: 1998 Class B, EN 61000-3-2: 2000, EN 61000-3-3: 1995+A1, EN 55024: 1998, FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 89/336/EEC with CE Marking (Europe) other EMC approvals as required by individual countries

Compliance/Safety: IEC 60950 (International), EN 60950 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1+A11+A2 Class 1, 21 CFR Ch. 1/SubCh. J (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 73/23/EEC with CE Marking (Europe), other safety approvals as required by individual countries

### Warranty

One-year limited warranty. Warranty varies according to country. Please check with your local Hewlett-Packard sales office or your nearest authorised dealer for details.

<sup>1</sup> Values subject to change, see [www.hp.com/support/lj9040](http://www.hp.com/support/lj9040) for current information.

For more information, call your local Hewlett-Packard sales office or your nearest HP authorised dealer or visit us at [www.hp.com](http://www.hp.com)

### HP customer information centre (for product information)

Australia	13 23 47
China	800 820 2255
Hong Kong	800 938 833
India	3030 4499
Indonesia	0800 1111 222
Korea	080 703 0700
Malaysia	1800 88 4848
New Zealand	0800 733 547
Philippines	1800 1441 6688
Singapore	1800 278 8100
Taiwan	0800 236 686
Thailand	+662 353 9000
Vietnam	+848 823 6215

### HP customer care centre (for post-sales service)

Australia	13 10 47
China	800 810 5959
Hong Kong	+852 3002 8555
India	1600 112 267
Indonesia	+62 21 350 3408
Korea	+82 2 3270 0700
Malaysia	1800 80 5405
New Zealand	0800 449 553
Philippines	+63 2 867 3551
Singapore	+65 6 272 5300
Taiwan	+886 2 8722 8000
Thailand	+662 353 9000
Vietnam	+848 823 4530

For the following countries, please fax your queries to: +65 6275 6707

• Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Sri Lanka



© 2005 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Printed in Singapore, 2001-4803-EEP, 02/2005

### Ordering information

Number	Description
Q7697A	HP LaserJet 9040 Printer
Q7698A	HP LaserJet 9040n Printer
Q7699A	HP LaserJet 9040dn Printer

### Paper handling

Q5693A	8-bin mailbox
C8531A	2,000-sheet input tray
C8532A	Automatic two-sided printing unit
C8568A	100-sheet multipurpose input tray
C8084A	3,000-sheet output stacker
C8085A	3,000-sheet output stacker/stapler
C8088B	Multifunction finisher

### Supplies

C8543X	HP LaserJet Smart print cartridge. Average cartridge yield 30,000 standard pages <sup>2</sup>
C9152A	HP Printer maintenance kit (110 V), after 350,000 pages
C9153A	HP Printer maintenance kit (220 V), after 350,000 pages

### Media

Q2398A	HP Everyday Paper, Letter <sup>3</sup>
Q2399A	HP Everyday Paper, A3 <sup>3</sup>
Q2400A	HP Everyday Paper, A4 <sup>3</sup>
Q2397A	HP Premium Choice LaserJet Paper, A4 <sup>3</sup>
Q2396A	HP Premium Choice LaserJet Paper, A3 <sup>3</sup>
Q6542A	HP Laser Paper, Soft Gloss, A4
Q6544A	HP Laser Paper, Matte, A4
92296U	HP LaserJet Transparency Film, A4
Q1298B	HP LaserJet Tough Paper—Box, A4

### Print Servers

J7934A	HP Jetdirect 620n Fast Ethernet internal print server
J7960A	HP Jetdirect 625n Gigabit Ethernet internal print server <sup>2</sup>
J6058A	HP Jetdirect 680n 802.11b wireless internal print server

### Memory and storage

J6073A	20 GB HP high-performance EIO hard disk
Q2625A	64 MB 100-Pin DDR DIMM
Q2626A	128 MB 100-Pin DDR DIMM
Q2627A	256 MB 100-Pin DDR DIMM
Q2628A	512 MB 100-Pin DDR DIMM

### Cables

92215S	Macintosh printer cable, 2-meter
C2950A	Parallel cable, 2-meter IEEE 1284 (a to b)
C2951A	Parallel cable, 3-meter IEEE 1284 (a to b)

### Service and support

U8013PA/PE	HP 1 year/600K Post Warranty, 4-Hour, 9 x 5 Hardware Support
H7633PA/PE	HP 1 year/600K Post Warranty, 4-Hour, 13 x 5 Hardware Support
H7629PA/PE	HP 1 year/600K Post Warranty, Next Business Day Hardware Support
H7699PA/PE	HP 1 year/1-Hour, 13 x 5 Hardware Support
U6400PA/PE	HP 1 year/4-Hour, 9 x 5 Hardware Support
UA922PA/PE	HP 1 year/8-Hour, 9 x 5 Post Warranty Hardware Support
H7698PA/PE	HP 1 year Next Business Day Post Warranty Hardware Support
U4844A/E	HP 3 year/4-Hour, 9 x 5 Hardware Support
H7696A/E	HP 3 year/4-Hour, 13 x 5 Hardware Support
H7694A/E	HP 3 year Next Business Day Hardware Support
U6409A/E	HP 4 year Next Business Day Hardware Support
U8012A/E	HP 3 year/1.8M 4-Hour, 9 x 5 Hardware Support
U8050A/E	HP 3 year/1.8M 4-Hour, 9 x 5 Hardware Support
H7603A/E	HP 3 year/1.8M 4-Hour, 13 x 5 Hardware Support
H7599A/E	HP 3 year/1.8M Next Business Day Hardware Support
UA142A/E	HP 4 year/2.4M 4-Hour, 9 x 5 Hardware Support
UA144A/E	HP 4 year/2.4M 4-Hour, 13 x 5 Hardware Support
UA143A/E	HP 5 year/3M 4-Hour, 9 x 5 Hardware Support
UA145A/E	HP 5 year/3M 4-Hour, 13 x 5 Hardware Support
UA141A/E	HP 5 year/3M Next Business Day Hardware Support
H7617A/E	HP Install 1 Service
H7621A/E	HP Install Network Service
U9877A/E	HP Maintenance Kit Replacement Fuser, 110 volt, per event
U9878A/E	HP Maintenance Kit Replacement Fuser, 220 volt, per event

### Third-party solutions

[www.hp.com/go/gsc](http://www.hp.com/go/gsc)

<sup>2</sup> Declared yield value in accordance with ISO/IEC 19752.

<sup>3</sup> Available in selected Asia Pacific countries only. Licensed by HP to be sold by International Paper Company.

### For more information on

**HP Care Pack**, visit: <http://www.hp.com/apac/hpservices/carepack>

**HP Instant Support Professional Edition (ISPE)**, visit:

<http://instantsupport.asiapac.hp.com>

**For more information on support**, visit: <http://www.hp.com/support>

**For more information on HP genuine parts**, visit:

<http://www.hp.com/go/hpparts>

**For specific warranty details**, please check with your local country resellers.

