

HP's fastest monochrome LaserJet printer combines high-productivity printing with robust security features for exceptional performance.

WHAT DO YOU HAVE TO SAY?



HP LaserJet P4510 Printer series

Leverage on HP's fastest single-function black-and-white laser printer for high-speed, high-productivity printing. The HP LaserJet P4510 Printer series is designed with a suite of industry-leading security features, new toner technology, and versatile paper handling and finishing options for a truly robust printing solution.

HP's fastest black-and-white laser printer

Fast and reliable printing

Print up to
60 ppm
A4



Print up to
62 ppm
Letter

Shortened print job time with Instant-on technology¹



First-page-out as fast as
8.5 seconds

New toner technology enables high-speed printing with consistent results



New toner is designed to melt at lower temperatures, to deliver consistently outstanding print quality at fast print speeds



Robust security features


Securely retrieve documents with PIN and Pull printing



Fast data encryption with built-in IPSec



Device authentication with 802.1x networking



¹ Instant-on technology uses cutting-edge fuser technology to produce the first page faster when a printer is coming out of low power mode so your print job is done sooner. An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf

² Standard on HP LaserJet P4515x Printer.

Expanded capabilities

Wide range of optional paper-handling accessories for professional print results

Automatic duplexer for two-sided printing²



500-sheet stapler/stacker



500-sheet 5-bin mailbox with sorting capability



Designed for shared printing and connectivity



EIO expansion slot supports an optional parallel card, hard disk, or Jetdirect print server

One external and two internal Host USB 2.0-like ports for third-party connections


Hi-Speed USB 2.0 port for direct printing

Easy manageability

Simplified network management with HP Web Jetadmin and HP Universal Print Driver



Smart printing technology simplifies supplies management



Best user experience

Intuitive control panel enables easy-to-follow navigation and troubleshooting



Printer configuration and troubleshooting is a snap with "Show-Me-How" features



HP's all-in-one print cartridges are easy to install and use





HP's fastest black-and-white LaserJet printer

Expect fast, high-productivity printing with the HP LaserJet P4510 Printer series. Together with the new toner technology, they deliver consistently outstanding print quality and the print speeds required in robust business printing environments.



Fast, professional printing

With first-page-out as fast as 8.5 seconds from low power mode, and print speed of up to 60 pages-per-minute (ppm), A4¹, print job can be completed quickly, improving workgroup productivity. Coupled with the new HP toner technology, the HP LaserJet P4510 Printer series ensures optimal performance and printer speed with consistent results.

Less waiting time, faster results

Time to Completion² is as fast as 16 seconds with Instant-on technology³ which uses cutting-edge fuser technology that enables print jobs to begin quickly from low power mode. With Instant-on technology³, the Time To Completion² (TTC) of a typical office print job on this device can be nearly twice as fast from low power mode than on devices without it.

Formulated for speed and productivity

HP's latest advancement in toner technology provides consistently outstanding print quality at the print speeds required in robust business printing environments. The new, enhanced monochrome toner formulation is specially developed and tuned for the printing system, engineered with special characteristics to enable consistently bold, crisp text, and sharp images in environments that need high-speed, high-productivity printing.

Improved uptime and productivity


With a 540 MHz processor, 128 MB RAM memory, and a powerful HP Jetdirect Gigabit Ethernet Embedded Print Server, the printer is designed to process jobs quickly, providing a fast return to the print job's application, for increased uptime.

Efficient sharing for large workgroups

Gigabit networking enables reliable, efficient sharing, while Hi-Speed USB 2.0 ports allow convenient access to third-party solutions.

Hassle-free direct printing⁴



With the printer's direct PDF printing solution, a PDF file can be sent right to the printer from any device, without using PDF reader or converter software. The printer directly renders PDFs to printed output, bypassing conversion processes used by other product-based solutions — increasing printing performance and avoiding possible conversion errors.



Achieve professional results, instantly



Share print resource effortlessly with built-in networking



Prints PDF files without application software

¹ Exact speed varies depending on system configuration, software application, driver, and document complexity.
² Time To Completion of a typical office print job was tested on HP and select competing products. Actual results may vary.
³ Instant-on technology uses cutting-edge fuser technology to produce the first page faster when a printer is coming out of low power mode so your print job is done sooner. An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf
⁴ Direct PDF printing is only available when printer memory is at least 128 MB (For best results, 192 MB of printer memory is recommended).

Robust security features

Protect your information, device, and network with proactive security management. The HP LaserJet P4510 Printer series is a fast and versatile printing solution with industry-leading security capabilities that enable a secured print environment to meet specific business needs.



Advanced security features for greater confidence

Secure business-critical data, device, and network with the following proactive security management tools:

PIN and Pull printing — Avoid leaving confidential jobs in the printer's output bin by making the **Folder** button and numeric 10-key pad work for you. Press the **Folder** button to easily retrieve a list of securely stored print jobs, and then use the printer's numeric 10-key pad to easily enter your PIN and retrieve your documents for secure job storage and retrieval.

Additional job retention features — The printer can be customised with a HP high-performance hard disk, to provide a virtual mailbox to keep private documents confidential, and allows you to proof a document before releasing the remaining copies and to store frequently printed jobs at the printer for easy retrieval.¹

Proof and Hold — Provides a quick and easy way to print one copy and proof it before printing the remaining copies. This reduces network traffic, paper waste, and supplies costs.

Personal Job — Protects confidential documents. This feature lets you specify that a job will not be printed until you release it using a 4-digit Personal Identification Number (PIN) through the printer's control panel.

Quick Copy — Prints the requested number of copies of a job and stores a copy of the job on the printer's hard disk. Additional copies of the job can be printed later, directly from the printer's control panel.

IPSec encryption for added security — Send digital data safely.

The point-to-point encryption across the entire IP network allows fast and secure encryption of data.

802.1X networking — Give your network administrators more unified network access control across their LAN environments. 802.1X networking allows device authentication prior to network admission to prevent unauthorised access, and the ability to send digital data safely with a wide range of industry standard security protocols, including:


- X.509 certificates for server/device authentication
- IP (Internet Protocol) Access Control Lists for protected printing and management

Fleet-based security management — HP Web Jetadmin provides powerful capabilities that allow you to efficiently and effectively manage security in environments with many devices, remotely manage all of your organisation's imaging and printing resources, employ SNMPv3 to encrypt data and control access, and utilise checklists to assure proper configuration.


¹ All features available when used with optional HP high capacity hard disk.



Enhance security with user authenticated printing



Secure business-critical data with IPSec



Manage network accessibility and security

Expanded capabilities

Boost print productivity with optional expandable features and solutions. Count on HP LaserJet P4510 Printer series to meet demanding workgroup printing needs, and lower cost of printing.

Flexible, customisable design for different printing needs

Upgrade your printer as business needs evolve, and experience efficient printing with less user intervention. Choose from a variety of output and paper handling options and benefit from streamlined office processes.

- Maximum input up to 3,600 pages**
 Standard input of 600-sheet/maximum input of up to 3,600 pages (with three additional 500-sheet trays and a 1,500-sheet high capacity tray)
- Maximum output capacity of up to 1,100 pages**
 Standard output of 100-sheet face-up with optional 500-sheet stapler/stacker, and 5-bin mailbox with sorting capability
- Other paper-handling options**
 Automatic two-sided printing accessory¹, envelope feeder, and printer stand



A4



Label



DL Flyer



Envelope



Expanded media support for more printing options

With an extensive media support for executive, A5, B5, A4, letter, and legal media sizes (labels, envelopes, transparencies and card stock), users can print on different types of media and sizes to meet specific business needs.



EIO expansion slot

One external and two internal Host USB 2.0-like ports

Hi-Speed USB 2.0 port

Options for improved performance

Enjoy better performance and more storage with optional EIO hard disk memory, Jetdirect and third-party solutions via the Host USB 2.0-like ports and EIO slot.


¹ Standard on with HP LaserJet P4515x Printer.

Easy manageability

Designed to integrate seamlessly into all major networking environments, the HP LaserJet P4510 Printer series supports industry-leading network management tools, and features to provide convenient and efficient device management that meet the needs of workgroups.

From standard web browser:

- Track usage by user
- Install firmware
- Configure device
- Conduct remote diagnostics
- Organise devices



Hassle-free fleet management

HP Web Jetadmin provides network managers a single support tool to install, monitor, and troubleshoot a wide range of network-connected devices from an intuitive browser interface. It features a common interface and real-time access to print features, job status and device status, saving resources without the need to deploy multiple drivers.

Enhanced productivity with minimal effort

HP Easy Printer Care effectively helps avoid counterproductive interruptions by monitoring and maintaining up to 15 HP LaserJet printers simultaneously.

It provides supplies status including an estimate of pages remaining, tracking toner usage, and consolidating supplies reordering information for easy, accurate ordering of Original HP supplies.

HP Universal Print Driver¹

Simplify the task of managing multiple printers and customising of user interface for easy printing across the network with the use of a single driver.

Maximise printer uptime with Enhanced Diagnostics

Easily troubleshoot paper jams and print quality issues. Having paper path diagnostic test can pinpoint which printer is affected for efficient paper jam clearance, and get the device up and running quickly.


Proactive supplies management

Original HP LaserJet print cartridges with HP Smart printing technology ensure consistent, professional quality and reliable printing. The intelligence built into HP supplies helps enhance the user experience and eliminate downtime by sending automatic supplies alerts when toner runs low.

HP Easy Printer Care



Simple management over a fleet of printers



Hassle-free with HP Smart printing technology

¹ To download the free HP Universal Print Driver Series for Windows, visit www.hp.com/go/upd




Best user experience

The HP LaserJet P4510 Printer series features convenient and easy-to-use functions that deliver hassle-free device usage and maintenance.

Helpful control panel for easy navigation

The printer's control panel offers innovative "Show-Me-How" features which radically simplify configuration, troubleshooting, and maintenance. It provides timely information about the printer and print jobs, and graphically illustrates paper jam locations, print cartridge and job status. In addition, menus provide access to printer functions and detailed information.

The printer's numeric 10-key pad allows users to easily enter their PIN and securely retrieve printed documents.



Dependable productivity

Reduce downtime with a printer built to work reliably. The HP LaserJet P4510 Printer series has a recommended monthly print volume of up to 20,000 pages¹ and a duty cycle of up to 275,000 pages per month².

¹ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

² Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.



Built to provide trouble-free, reliable printing

HP LaserJet quality and reliability

Backed by renowned HP reliability and support, your business can have total confidence and peace of mind with the HP LaserJet P4510 Printer series.



Original HP printing supplies are specifically designed with the HP LaserJet P4510 Printer series to deliver consistent quality and reliable, trouble-free printing.



HP LaserJets are backed with a one-year limited warranty including phone support 24/7 one-stop access to tools and information for self-help troubleshooting. You can also choose to enhance your warranty protection with a wide selection of affordable HP Care Pack Services.



PC Magazine Readers' Choice Award for service and reliability for 16 straight years.

September 18, 2007 — HP Printers

PC Magazine Readers' Choice Award Logo is a trademark of Ziff Davis Publishing Holdings Inc. Used under license.

HP's commitment for a safer environment

With HP's Design for the Environment initiative, products are designed with their entire life cycle in mind — from product design to manufacturing, and from usage to recycling — in an effort to reduce energy, paper, packaging and materials used. By providing customers with safe, high quality products that are environmentally-sound throughout their life cycle, HP aims to reduce the environmental impact of our products, and that of our customers.

1 DESIGN FOR ENVIRONMENT

Get added value with an environmentally conscious HP LaserJet Printer. The HP LaserJet P4510 Printer series has met stringent requirements to reduce energy consumption, noise levels, and chemical emissions.

HP's new toner formulation provides the following environmental benefits:

- Toner enhancements enable the system to use 10% to 15% less energy per page when fusing the toner to the page (compared to its predecessor)
- Enables a cartridge design that uses 5% less plastic than the prior generation, yet prints the same number of pages

2 MANUFACTURING

Use of fewer materials. HP LaserJet toner cartridge packaging uses 45% less packaging material (by weight) than previous designs. The more compact package also contains an innovative multi-chamber air bag that protects the cartridge from transport damage, dust, moisture and light, and 30% more cartridges can be shipped on one pallet (1,500 more cartridges can be shipped in one ocean container).

5 RECYCLE

Dispose of products with confidence.

Trust HP to responsibly manage and recycle technology products and offer the ability to trade in old products, helping you avoid regulatory complexities and disposal risks. HP processes help ensure that confidential data is properly destroyed.

4 RETURN

Simplify the management and disposal of products.

Through HP Planet Partners¹ — a free, convenient return and recycling programme available in more than 40 countries. All returned Original HP print cartridges go through a multiphase recycling process where they are reduced to raw materials that are used to make new metal and plastic products.



3 USE

Save time, paper and toner. The printer's paper trays feature automatic media size detection for accurate printing.

Use less paper by printing on both sides. HP Web Jetadmin and the HP Universal Print Driver make it easy to set automatic duplex printing for individual printers or entire fleets, allowing you to reduce the cost and volume of paper used.

Less extra pages printed. HP Smart Web Printing improves printing from web pages. Eliminate extra pages and right-edge clipping and enjoy the ability to combine content and print exactly what you want, without wasting resources.




¹ Programme availability varies. HP printing supplies return and recycling is currently available in more than 40 countries, territories, and regions in Asia, Europe, and North and South America through the HP Planet Partners programme.

HP LaserJet P4510 Printer series



Front view

HP LaserJet P4515x Printer with optional 500-sheet stapler/stacker shown



Partial rear view I/O panel

- 1** Control panel features 4-line display and 10-key pad
- 2** Optional 500-sheet stapler/stacker
- 3** 500-sheet top output bin
- 4** Adjustable 100-sheet multipurpose input tray 1
- 5** 500-sheet input tray 2
- 6** 500-sheet input tray 3
- 7** HP Jetdirect Gigabit Ethernet embedded print server with IPSec
- 8** 540 MHz processor and 128 MB of standard printing memory, expandable up to 640 MB
- 9** Expansion slot supports an optional parallel card, hard disk, or Jetdirect print server
- 10** One external and two internal Host USB 2.0-like ports for third-party connections
- 11** Security lock slot
- 12** Hi-Speed USB 2.0 port for direct connection to printer
- 13** 100-sheet rear output bin
- 14** Duplexer for automatic two-sided printing

Series at a glance



HP LaserJet P4515n Printer



HP LaserJet P4515tn Printer



HP LaserJet P4515x Printer

Part number	CB514A	CB515A	CB516A
HP Jetdirect Gigabit Ethernet print server	✓	✓	✓
Automatic two-sided printing	Optional	Optional	✓
100-sheet tray, 500-sheet tray 2	✓	✓	✓
500-sheet tray 3	Optional	✓	✓
500-sheet, 5-bin mailbox	Optional	Optional	Optional

Maximise the performance of HP LaserJet P4510 Printer series with HP paper handling and finishing options



HP LaserJet 75-sheet Envelope Feeder (CB524A)

Increase flexibility and eliminate the need for manual loading with envelope feeders that allow you to print up to 75 envelopes at a time.



HP LaserJet 500-sheet Stapler/Stacker (CB522A)

Providing stacking and multi-position stapling of up to 500 sheets of paper per job, your office enjoys easy handling and job separation.



HP LaserJet 500-sheet 5-Bin Mailbox (CB520A)

Assign each mailbox to individuals, workgroups or departments for easy job retrieval. It can also be configured as a sorter/collator, stacker or job separator.

HP LaserJet P4510 Printer series

Technical specifications



HP LaserJet P4515n Printer (CB514A)



HP LaserJet P4515tn Printer (CB515A)



HP LaserJet P4515x Printer (CB516A)

Print speed	Up to 60 ppm (A4); Up to 62 ppm (letter)																														
First-page-out	As fast as 8.5 seconds from Ready mode; Time To Completion for a typical office print job: as fast as 16 seconds ²																														
Print resolution	Up to 1200 x 1200 dpi; HP ImageREt, HP 300 dpi, HP 600 dpi, HP FastRes 1200, HP ProRes 1200																														
Processor	540 MHz																														
Memory	128 MB, expandable to 640 MB via one open 144-pin 32 bit DDR2 DIMM slot																														
Durability ratings	Recommended monthly volume: 5,000 to 20,000 pages ³ ; Duty cycle: up to 275,000 pages ⁴																														
Paper	<table border="1"> <tr> <td>Input</td> <td>100-sheet multipurpose tray 1, 500-sheet tray 2</td> <td colspan="2">100-sheet multipurpose tray 1, 500-sheet tray 2, 500-sheet tray 3</td> </tr> <tr> <td>Output</td> <td colspan="3">100-sheet rear output bin, 500-sheet top output bin</td> </tr> <tr> <td>Two-sided printing</td> <td colspan="2">Manual (optional accessory available for automatic two-sided printing)</td> <td>Automatic</td> </tr> <tr> <td>Sizes</td> <td colspan="3"> Multipurpose tray 1: letter, legal, executive, statement, 8.5 x 13 inches; A4, A5, B5 (JIS), double postcard (JIS), 16K, executive (JIS), envelope (Com 10, Monarch No. 7 3/4, DL ISO, C5 ISO, B5 ISO); custom: 76 x 127 mm (3 x 5 inches) to 216 x 356 mm (8.5 x 14 inches) Input trays 2 and 3: letter, legal, executive, statement, 8.5 x 13 inches; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm (5.8 x 8.3 inches) to 216 x 356 mm (8.5 x 14 inches) Automatic duplexer for two-sided printing: letter, legal, executive; A4, A5, B5 (JIS), executive (JIS), 16K; custom: 148 x 210 mm (5.8 x 8.3 inches) to 216 x 356 mm (8.5 x 14 inches) 500-sheet 5-bin mailbox: letter, legal, executive, statement, 8.5 x 13 inches; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm (5.8 x 8.3 inches) to 216 x 356 mm (8.5 x 14 inches) </td> </tr> <tr> <td>Weights</td> <td colspan="3"> Multipurpose tray 1: 16 to 53 lb (60 to 200 g/m²) Input trays 2 and 3, optional 500-sheet feeder, optional high capacity input tray, automatic duplexer for two-sided printing: 16 to 32 lb (60 to 120 g/m²) Optional envelope feeder: 20 to 28 lb (75 to 105 g/m²) </td> </tr> <tr> <td>Types</td> <td colspan="3">Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, user-defined</td> </tr> </table>			Input	100-sheet multipurpose tray 1, 500-sheet tray 2	100-sheet multipurpose tray 1, 500-sheet tray 2, 500-sheet tray 3		Output	100-sheet rear output bin, 500-sheet top output bin			Two-sided printing	Manual (optional accessory available for automatic two-sided printing)		Automatic	Sizes	Multipurpose tray 1: letter, legal, executive, statement, 8.5 x 13 inches; A4, A5, B5 (JIS), double postcard (JIS), 16K, executive (JIS), envelope (Com 10, Monarch No. 7 3/4, DL ISO, C5 ISO, B5 ISO); custom: 76 x 127 mm (3 x 5 inches) to 216 x 356 mm (8.5 x 14 inches) Input trays 2 and 3: letter, legal, executive, statement, 8.5 x 13 inches; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm (5.8 x 8.3 inches) to 216 x 356 mm (8.5 x 14 inches) Automatic duplexer for two-sided printing: letter, legal, executive; A4, A5, B5 (JIS), executive (JIS), 16K; custom: 148 x 210 mm (5.8 x 8.3 inches) to 216 x 356 mm (8.5 x 14 inches) 500-sheet 5-bin mailbox: letter, legal, executive, statement, 8.5 x 13 inches; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm (5.8 x 8.3 inches) to 216 x 356 mm (8.5 x 14 inches)			Weights	Multipurpose tray 1: 16 to 53 lb (60 to 200 g/m ²) Input trays 2 and 3, optional 500-sheet feeder, optional high capacity input tray, automatic duplexer for two-sided printing: 16 to 32 lb (60 to 120 g/m ²) Optional envelope feeder: 20 to 28 lb (75 to 105 g/m ²)			Types	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, user-defined						
Input	100-sheet multipurpose tray 1, 500-sheet tray 2	100-sheet multipurpose tray 1, 500-sheet tray 2, 500-sheet tray 3																													
Output	100-sheet rear output bin, 500-sheet top output bin																														
Two-sided printing	Manual (optional accessory available for automatic two-sided printing)		Automatic																												
Sizes	Multipurpose tray 1: letter, legal, executive, statement, 8.5 x 13 inches; A4, A5, B5 (JIS), double postcard (JIS), 16K, executive (JIS), envelope (Com 10, Monarch No. 7 3/4, DL ISO, C5 ISO, B5 ISO); custom: 76 x 127 mm (3 x 5 inches) to 216 x 356 mm (8.5 x 14 inches) Input trays 2 and 3: letter, legal, executive, statement, 8.5 x 13 inches; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm (5.8 x 8.3 inches) to 216 x 356 mm (8.5 x 14 inches) Automatic duplexer for two-sided printing: letter, legal, executive; A4, A5, B5 (JIS), executive (JIS), 16K; custom: 148 x 210 mm (5.8 x 8.3 inches) to 216 x 356 mm (8.5 x 14 inches) 500-sheet 5-bin mailbox: letter, legal, executive, statement, 8.5 x 13 inches; A4, A5, B5 (JIS), 16K, executive (JIS); custom: 148 x 210 mm (5.8 x 8.3 inches) to 216 x 356 mm (8.5 x 14 inches)																														
Weights	Multipurpose tray 1: 16 to 53 lb (60 to 200 g/m ²) Input trays 2 and 3, optional 500-sheet feeder, optional high capacity input tray, automatic duplexer for two-sided printing: 16 to 32 lb (60 to 120 g/m ²) Optional envelope feeder: 20 to 28 lb (75 to 105 g/m ²)																														
Types	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, user-defined																														
Connectivity	<table border="1"> <tr> <td>Interfaces</td> <td colspan="3">1 Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal Host USB 2.0-like ports for third-party connection, HP Jetdirect Gigabit Ethernet embedded print server</td> </tr> <tr> <td>Languages</td> <td colspan="3">HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, direct PDF (v1.4) printing (192 MB printer memory recommended)</td> </tr> <tr> <td>Fonts</td> <td colspan="3">80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)</td> </tr> <tr> <td>Client operating systems</td> <td colspan="3">Windows® 2000; Windows XP® Home; Windows XP® Professional; Windows Server 2003; Certified for Windows Vista®; Mac OS X v10.4, v10.5, and later</td> </tr> <tr> <td>Network operating systems</td> <td colspan="3">Via an HP Jetdirect print server: Microsoft Windows 2000, Server 2003, XP®, Vista®, 2003 64-bit, XP 64-bit, Vista 64-bit (For Microsoft IPv6 compatible with Windows 2003, XP®, and Vista®); Novell 5.1 and later; Mac OS X v10.2.8, v10.3, v10.4, v10.5, and later; Red Hat Linux 7.x and later; SuSE Linux 8.x and later; HP-UX 10.20, 11.x, 11.i; Solaris 2.5 and later (SPARC systems only); IBM AIX 3.2.5 and later 1; MPE-iX; Citrix MetaFrame Server; Windows Terminal Services</td> </tr> <tr> <td>Network protocols</td> <td colspan="3">Supported via an HP Jetdirect print server: IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 and later), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, Port 9100, LPD, IPP, Secure-IPP, WS Discovery, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, TFTP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: IPX/SPX, AppleTalk, NetWare NDS, Bindery, NDPS, iPrint</td> </tr> <tr> <td>Security</td> <td colspan="3">Management security: SNMPv3, SSL/TLS (HTTPS), 802.1X authentication (EAP: PEAP, EAP-TLS), IPsec/Firewall with Kerberos, Certificate, and PreShared Key Authentication; Wireless network security (Requires HP Jetdirect 690n Wireless Print Server): 802.1X (EAP-PEAP, EAP-TLS), WPA, WPA2 authentication, AES, TKIP, WEP (40/64- and 128-bit) encryption</td> </tr> </table>			Interfaces	1 Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal Host USB 2.0-like ports for third-party connection, HP Jetdirect Gigabit Ethernet embedded print server			Languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, direct PDF (v1.4) printing (192 MB printer memory recommended)			Fonts	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)			Client operating systems	Windows® 2000; Windows XP® Home; Windows XP® Professional; Windows Server 2003; Certified for Windows Vista®; Mac OS X v10.4, v10.5, and later			Network operating systems	Via an HP Jetdirect print server: Microsoft Windows 2000, Server 2003, XP®, Vista®, 2003 64-bit, XP 64-bit, Vista 64-bit (For Microsoft IPv6 compatible with Windows 2003, XP®, and Vista®); Novell 5.1 and later; Mac OS X v10.2.8, v10.3, v10.4, v10.5, and later; Red Hat Linux 7.x and later; SuSE Linux 8.x and later; HP-UX 10.20, 11.x, 11.i; Solaris 2.5 and later (SPARC systems only); IBM AIX 3.2.5 and later 1; MPE-iX; Citrix MetaFrame Server; Windows Terminal Services			Network protocols	Supported via an HP Jetdirect print server: IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 and later), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, Port 9100, LPD, IPP, Secure-IPP, WS Discovery, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, TFTP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: IPX/SPX, AppleTalk, NetWare NDS, Bindery, NDPS, iPrint			Security	Management security: SNMPv3, SSL/TLS (HTTPS), 802.1X authentication (EAP: PEAP, EAP-TLS), IPsec/Firewall with Kerberos, Certificate, and PreShared Key Authentication; Wireless network security (Requires HP Jetdirect 690n Wireless Print Server): 802.1X (EAP-PEAP, EAP-TLS), WPA, WPA2 authentication, AES, TKIP, WEP (40/64- and 128-bit) encryption		
Interfaces	1 Hi-Speed USB 2.0, 1 EIO slot, 1 external and 2 internal Host USB 2.0-like ports for third-party connection, HP Jetdirect Gigabit Ethernet embedded print server																														
Languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, direct PDF (v1.4) printing (192 MB printer memory recommended)																														
Fonts	80 HP font set (plus Greek, Hebrew, Cyrillic, Arabic)																														
Client operating systems	Windows® 2000; Windows XP® Home; Windows XP® Professional; Windows Server 2003; Certified for Windows Vista®; Mac OS X v10.4, v10.5, and later																														
Network operating systems	Via an HP Jetdirect print server: Microsoft Windows 2000, Server 2003, XP®, Vista®, 2003 64-bit, XP 64-bit, Vista 64-bit (For Microsoft IPv6 compatible with Windows 2003, XP®, and Vista®); Novell 5.1 and later; Mac OS X v10.2.8, v10.3, v10.4, v10.5, and later; Red Hat Linux 7.x and later; SuSE Linux 8.x and later; HP-UX 10.20, 11.x, 11.i; Solaris 2.5 and later (SPARC systems only); IBM AIX 3.2.5 and later 1; MPE-iX; Citrix MetaFrame Server; Windows Terminal Services																														
Network protocols	Supported via an HP Jetdirect print server: IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 and later), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, Port 9100, LPD, IPP, Secure-IPP, WS Discovery, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, TFTP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: IPX/SPX, AppleTalk, NetWare NDS, Bindery, NDPS, iPrint																														
Security	Management security: SNMPv3, SSL/TLS (HTTPS), 802.1X authentication (EAP: PEAP, EAP-TLS), IPsec/Firewall with Kerberos, Certificate, and PreShared Key Authentication; Wireless network security (Requires HP Jetdirect 690n Wireless Print Server): 802.1X (EAP-PEAP, EAP-TLS), WPA, WPA2 authentication, AES, TKIP, WEP (40/64- and 128-bit) encryption																														
Minimum system requirements	Windows® 2000: 133 MHz processor, 64 MB RAM, CD-ROM drive; Windows XP® Home and Windows XP® Professional: 233 MHz processor, 64 MB RAM, CD-ROM drive; Windows Server 2003: 550 MHz processor, 128 MB RAM (standard edition), 220 MB of free hard disk space for Windows®, 1 GHz processor, 512 MB RAM (Windows Vista® Ready, check user guide for minimum hard drive space); CD-ROM drive or Internet connection, IEEE 1284-compliant bidirectional parallel port, USB 1.1, USB 2.0 Mac OS X v 10.2 and later; Power PC G3, G4, G5, or Intel® Core™ processor; 160 MB free hard disk space; CD-ROM drive, USB port or IEEE 1284-B compliant parallel port																														
Dimensions (w x d x h)	419 x 450 x 393 mm (16.5 x 17.7 x 15.5 inches)	419 x 450 x 546 mm (16.5 x 17.7 x 21.5 inches)	419 x 508 x 546 mm (16.5 x 20 x 21.5 inches)																												
Weight (includes print cartridge)	25.82 kg (56.92 lb)	32.47 kg (71.58 lb)	35.12 kg (77.42 lb)																												
What's in the box	Printer, 100-sheet multipurpose tray 1, 500-sheet input tray 2, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print cartridge, Getting Started Guide, support flyer																														
Also includes	—	500-sheet input tray 3	500-sheet input tray 3, automatic duplexer for two-sided printing																												
Warranty	One-year limited hardware warranty, return to HP authorised service center, free telephone support during the product warranty period																														

¹ Exact speed varies depending on system configuration, software application, driver, and document complexity.

² An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select competing products. Actual results may vary.

³ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁴ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.

Environment ranges

Temperature	Recommended: 10 — 32° C (50 — 90° F) Storage: 0 — 35° C (32 — 95° F)
Relative humidity	Recommended: 10 — 80% Storage: 10 — 95%
Altitude	0 to 3,100 m (0 to 10,000 ft)
Power consumption ⁵	100 — 127 V (±10%), 50/60 Hz (±3 Hz); 220 — 240 V (±10%), 50/60 Hz (±3 Hz) Active: 910 watts; Sleep: 12 watts; Ready: 20 watts; Off: 0 watts Typical Electricity Consumption (TEC): 5.049 KWh/Week ENERGY STAR [®] qualified models, see www.hp.com/go/energystar
Acoustics ⁶	Power: Active: 7.4 B(A); Ready: 4.8 B(A) Pressure (bystander): Active: 60 dB(A); Standby: 31 dB(A)
Power certifications	EMC: CISPR 22: 2005/EN 55022: 2006 Class B, EN 61000-3-2: 2000+A2, EN 61000-3-3: 1995+A1, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries Safety: IEC 60950-1 (International), EN 60950-1+A11 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS license (Europe), EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
HP SureSupply	HP SureSupply enabled. To learn more, visit www.hp.com/learn/suresupply

⁵ Values subject to change. See www.hp.com/support for current information. Power numbers are the highest values measured using all standard voltages.

⁶ Measured per ISO 7779 and declared per ISO 9296; values subject to change. For current information see www.hp.com/support. Configuration tested: HP LaserJet P4515x Printer, printing on A4 paper at 60 ppm.

For more information, call your local Hewlett-Packard authorised dealer or visit us at www.hp.com

HP Customer Information Centre (for product information)

Australia	13 23 47
China	800 820 2255
Hong Kong	800 938 833
India	1600 425 4999 (from MTNL/BSNL LAN line) 3030 4499 (from mobile)
Indonesia	0800 1111 222
Korea	080 703 0700
Malaysia	1800 88 9886
New Zealand	0800 733 547
Philippines	1800 1441 6688
Singapore	1800 278 8100
Taiwan	0800 236 686
Thailand	+662 353 9000
Vietnam	+848 930 2814

Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka: Fax +65 6275 6707

HP Customer Care Centre (for post-sales service)

Australia	13 10 47
China	800 810 3888
Hong Kong	+852 3002 8555
India	1600 112 267
Indonesia	+62 21 350 3408
Korea	+82 23270 0700
Malaysia	1800 88 8588
New Zealand	0800 449 553
Philippines	+63 2 867 3551
Singapore	+65 6 272 5300
Taiwan	+886 2 8722 8000
Thailand	+662 353 9000
Vietnam	+848 823 4530



ENERGY STAR and the ENERGY STAR mark are U.S. registered marks. Microsoft, Windows, and Windows XP are U.S. registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

© Copyright 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Printed in Singapore, 20080057-EEP, April 2008

Ordering information

Number Product

CB514A	HP LaserJet P4515n Printer
CB515A	HP LaserJet P4515m Printer
CB516A	HP LaserJet P4515x Printer

Print cartridges with HP Smart printing technology*

CC364A	HP LaserJet Black Print Cartridge (10,000 pages)
CC364X	HP LaserJet Black Print Cartridge (24,000 pages)

* Declared yield values for replacement cartridges in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies.

Paper handling

CB518A	HP LaserJet 500-sheet Input Tray and Feeder
CB519A	HP LaserJet Automatic Duplexer for Two-sided Printing
CB520A	HP LaserJet 500-sheet 5-Bin Mailbox
CB522A	HP LaserJet 500-sheet Stapler/Stacker
CB523A	HP LaserJet 1,500-sheet High Capacity Input Tray
CB524A	HP LaserJet 75-sheet Envelope Feeder

Accessories and supplies

CB525A	HP LaserJet Printer Stand
Q3216A	HP LaserJet 1,000 Staple Cartridge Pack (3 cartridges by 1,000)
CB388A	HP LaserJet Printer Maintenance Kit (110V)
CB389A	HP LaserJet Printer Maintenance Kit (220V)

Memory/storage

CC413A	HP 64 MB DDR2 144-pin x32
CC414A	HP 128 MB DDR2 144-pin x32
CC415A	HP 256 MB DDR2 144-pin x32
CE483A	HP 512 MB DDR2 144-pin x32
J7989G	HP High Performance Serial ATA Hard Disk

Connectivity

J7961G	HP Jetdirect 635n EIO Print Server
J7997G	HP Jetdirect 630n EIO Print Server
J8007G	HP Jetdirect 690n EIO Wireless Print Server
J7942G	HP Jetdirect en3700 USB Print Server
J7988G	HP Jetdirect en1700 USB Print Server
J7951G	HP Jetdirect ew2400 USB Wireless Print Server
J7972G	HP 1284B Parallel Card

For more information, visit www.hp.com/go/jetdirect

Service and support

UC742E	HP Care Pack, Installation & Network Configuration
UJ515E	Return to HP—Failed unit sent to HP for repair, 3 years
UJ516E	Next-Day Onsite—onsite next day, 3 years
UJ517E	Next-Day Onsite—onsite next day, 4 years
UJ518E	Next-Day Onsite—onsite next day, 5 years
UJ525PE	Next-Day Onsite, 1 year Post Warranty
UJ519E	9 x 5 Same-Day Onsite—onsite in 4 hours, 3 years
UJ520E	9 x 5 Same-Day Onsite—onsite in 4 hours, 4 years
UJ521E	9 x 5 Same-Day Onsite—onsite in 4 hours, 5 years
UJ526PE	9 x 5 Same-Day Onsite—onsite in 4 hours, 1 year Post Warranty

For more information, visit www.hp.com/services/printer

Paper

Asia Pacific: www.hp.com/apac/printingsupplies
Asia: 65-6253-8500
Australia/New Zealand: 61-2997-2299LAR

Solutions

www.hp.com/go/gsc

