

15 m High Speed HDMI® Cable – Ultra HD 4k x 2k HDMI Cable – HDMI to HDMI M/M

StarTech ID: *HDMM15M*



The HDMM15M 15-meter High Speed HDMI® cable features 2 gold-plated HDMI (male) connectors and durable high quality construction to provide a dependable HDMI to HDMI connection between devices such as Blu-Ray players, HDTVs, DVD Players, stereo receivers and more at a distance of up to 15-meters without the need of a signal booster.

This high quality HDMI cable fully supports 1080p+ resolutions at up to 120Hz refresh rate, with life-like color. To accommodate the demands of future high definition devices, such as increased resolutions and higher frame rates, this Ultra HD cable supports resolutions up to 4k x 2k.

The HDMM15M HDMI cable is backed by StarTech.com's Lifetime Warranty.

About StarTech.com HDMI to HDMI Cables:

StarTech.com High Speed HDMI digital video and audio cables are expertly designed and constructed of only top quality materials to ensure high quality, high definition performance. The HDMI standard combines high bandwidth video and multi-channel digital audio into a single cable, and provides crystal clear image resolution.

Applications

- Connecting high-definition A/V devices such as Blu-Ray Disc™ players, HDTVs, DVD Players, DVRs, game consoles etc.
- A convenient, single-cable solution for connecting high-definition set-top boxes, A/V receivers

Features

- Gold-plated HDMI® connectors
- High quality construction
- Supports Ultra HD Resolutions up to 4k x 2k

Technical Specifications

Warranty	Lifetime
Cable Jacket Type	PVC - Polyvinyl Chloride
Cable Shield Type	Aluminum-Mylar Foil with Braid
Connector Plating	Gold
Connector A	1 - HDMI (19 pin) Male
Connector B	1 - HDMI (19 pin) Male
Cable Length	15 m [49.2 ft]
Color	Black
Connector Style	Straight
Product Length	15 m [49.2 ft]
Product Weight	1680 g [59.3 oz]
Wire Gauge	24 AWG
Package Quantity	1
Shipping (Package) Weight	1680 g [59.3 oz]
Included in Package	1 - 15 m High Speed HDMI® Cable - HDMI - M/M

Certifications, Reports and Compatibility

