

2 Port PCI Express (PCIe) SuperSpeed USB 3.0 Card Adapter with UASP - LP4 Power

StarTech ID: PEXUSB3S25



The PEXUSB3S25 2-Port PCI Express USB 3.0 Card lets you add two USB 3.0 ports to your PCI Express-enabled computer system, with an optional LP4 power connector to connect to your system power supply and deliver up to 900mA of power per port to USB 3.0 bus-powered devices (500mA for USB 2.0).

Enhanced with UASP support (USB Attached SCSI Protocol), this USB 3.0 controller performs up to 70% faster than conventional USB 3.0 when paired with a <u>UASP supported enclosure</u> (Note: UASP is not supported by all operating systems). Using a more efficient protocol than the traditional USB BOT (Bulk-Only Transport), UASP technology optimizes transfers by allowing multiple commands to be processed simultaneously, significantly increasing transfer speeds for less wait time on data transfers. See our UASP test results below for further details.

The PCIe USB 3.0 adapter is compliant with USB 3.0 standards for data transfer speeds up to 5 Gbps, while still offering backward compatibility with existing USB 2.0 / 1.1 devices. For added versatility, the controller card is equipped with a standard profile bracket and includes a low-profile/half-height bracket for installation in small form-factor computers.


Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Improved Performance with UASP


UASP is supported in Windows® 8, 8.1, Server 2012 and Linux kernel 2.6.37 or later. In testing UASP performed with up to a 70% faster read / 40% faster write speed over traditional USB 3.0 at peak performance.







At the same peak in testing, UASP also showed up to an 80% reduction in required processor resources.



Test results were obtained using an Intel® Ivy Bridge system, StarTech.com add-on USB 3.0 cards, a UASP-enabled StarTech.com enclosure, and a SATA III solid state drive.

Applications

- Upgrade an older PCIe-based system from USB 2.0 to USB 3.0 connectivity
- Expand the USB capabilities of your system with two additional external ports
- Connect additional external hard drives, CD/DVD drives, MP3 players, printers, scanners, webcams, game controllers, digital cameras, etc. to a computer system



Features

- Provides two external USB 3.0 ports with UASP support
- Supports data rates up to 5 Gbps
- Compliant with PCI Express 2.0 specifications
- Optional LP4 power connector provides up to 900mA per USB port
- Supports USB Battery Charging Specification 1.2
- Fully compliant with USB 3.0 rev 1.0 and Intel xHCl rev 1.0 specifications
- Backward compatible with USB 2.0 and USB 1.0/1.1 devices
- Includes a Low-Profile/half-height installation bracket





Technical Specifications

Warranty 2 Years

Bus Type PCI Express

Card Type Standard Profile (LP bracket incl.)

Chipset ID NEC - µPD720202

Industry Standards USB 3.0 Specification Rev. 1.0

USB Battery Charging Specification Rev. 1.2 PCI Express Base Specification Rev. 2.0

Intel xHCI Specification Rev. 1.0

Interface USB 3.0

Port Style Integrated on Card

Ports 2

Connector Type(s) 1 - PCI Express x1 Male

External Ports 2 - USB 3.0 A (9 pin; SuperSpeed) Female
Internal Ports 1 - LP4 (4 pin; Molex Large Drive Power) Male

Maximum Cable Length 9.8 ft [3 m]
Maximum Data Transfer 5 Gbps

Rate

Type and Rate USB 3.0 - 5 Gbit/s

UASP Support Yes

OS Compatibility Windows® 8 / 8.1 (32/64bit), 7 (32/64), Vista (32/64), XP (32/64)

Windows Server® 2012, 2008 R2, 2003

Linux 2.6.31 or later

Note Devices that do not comply with the USB Battery Charging Specification may only

receive standard USB power.

System and Cable

Requirements

Available PCI Express slot

Product Height 4.7 in [120 mm]
Product Length 3.2 in [82 mm]
Product Weight 1.8 oz [51 g]
Product Width 0.7 in [18 mm]

Humidity 5~85% RH

Operating Temperature 0°C to 50°C (32°F to 122°F)
Storage Temperature -20°C to 60°C (-4°F to 140°F)

Shipping (Package) 5.4 oz [153 g]

Weight



Hard-to-find made easy®

Spec Sheet

Included in Package 1 - PCle USB 3.0 Card Included in Package 1 - Low Profile Bracket

Included in Package 1 - Driver CD

Included in Package 1 - Instruction Manual

Certifications, Reports and Compatibility





