


Brocade 40G-QSFP-SR4 Compatible QSFP+ Transceiver Module - 40GBase-SR4

Product ID: 40G-QSFP-SR4-ST



The 40G-QSFP-SR4-ST is a Brocade 40G-QSFP-SR4 compatible fiber transceiver module that has been designed, programmed and tested to work with Brocade brand switches and routers. It delivers dependable 40 GbE connectivity over fiber cable, for 40GBase-SR4 compliant networks, with a maximum distance of up to 150 m (492 ft.).

Technical Specifications:

- **Wavelength:** 850nm
- **Maximum Data Transfer Rate:** 40 Gbps
- **Type:** Multi Mode Fiber
- **Connection Type:** MPO
- **Maximum Transfer Distance:** 150 m (492 ft.)
- **MTBF:** 244,610,583 hours
- **Power Consumption:** Low power consumption
- **Digital Diagnostics Monitoring (DDM):** Yes

This QSFP+ fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.

**Certifications, Reports
and Compatibility**



Features

- 100% Compatibility with Brocade 40G-QSFP-SR4 guaranteed
- StarTech.com SFP modules are backed by a lifetime warranty
- Meets or exceeds OEM specifications and Multi-Source Agreement (MSA) industry standards
- Low power consumption
- Hot-swappable with fiber-optic modules

	Warranty	Lifetime
Hardware	Compatible Brand	Brocade®
Performance	DDM	Yes
	Maximum Data Transfer Rate	40.00 Gbps
Physical Characteristics	Product Height	0.4 in [11 mm]
	Product Length	4.8 in [122 mm]
	Product Width	0.7 in [18 mm]
	Weight of Product	1.5 oz [42 g]
Packaging Information	Package Height	1.9 in [4.8 cm]
	Package Length	7.3 in [18.5 cm]
	Package Width	4.9 in [12.5 cm]
	Shipping (Package) Weight	4.2 oz [118 g]
What's in the Box	Included in Package	1 - QSFP+ Transceiver

Product appearance and specifications are subject to change without notice.