

# Brocade XBR-000190 Compatible SFP Transceiver Module - 10/100/1000

Product ID: XBR-000190-ST



The XBR-000190-ST is a Brocade XBR-000190 compatible copper transceiver module that has been designed, programmed and tested to work with Brocade brand switches and routers. It delivers dependable 1 GbE connectivity over copper cable, for 10/100/1000 compliant networks, with a maximum distance of up to 100 m (328 ft).

### **Technical Specifications:**

- Maximum Data Transfer Rate: 1000 Mbps (1 Gbps)
- Type: Copper
- Connection Type: RJ-45
- Maximum Transfer Distance: 100 m (328 ft)
- MTBF: 510,469,759 hours
- **Power Consumption:** Low power consumption
- Digital Diagnostics Monitoring (DDM): No

This SFP copper module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.





## StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.



## **Data Sheet**

## **Certifications, Reports** and Compatibility













#### **Features**

- 100% Compatibility with Brocade XBR-000190 guaranteed
- StarTech.com SFP modules are backed by a lifetime warranty
- Uses a cost-effective cabling alternative to fiber-optic set ups
- Meets or exceeds OEM specifications and Multi-Source Agreement (MSA) industry standards
- Low power consumption
- Hot-swappable with fiber-optic modules



## **Data Sheet**

	Warranty	Lifetime
Hardware	Compatible Brand	Brocade®
Performance	DDM	No
	Maximum Data Transfer Rate	1.25 Gbps
	MTBF	510,469,759 hours
	Туре	Copper
Physical Characteristics	Product Height	13.800
	Product Length	0.5 in [1.4 cm]
	Product Width	68.000
	Weight of Product	15.000
Packaging Information	Package Height	31.000
	Package Length	115.000
	Package Width	90.000
	Shipping (Package) Weight	50.000
What's in the Box	Included in Package	1 - SFP Transceiver
	Fiber Operating Mode	Full-Duplex

Product appearance and specifications are subject to change without notice.